



Titanium/chitosan composites as photocatalysts in textile dyes removal

Bui Xuan Vuong

Faculty of Pedagogy in Natural Sciences, Sai Gon University, Ho Chi Minh City, Vietnam

Abstract

Recently, TiO₂/CS composites have attracted the attention of many scientific researchers because of their interesting technological properties and applications. This review describes some typically reported composites of TiO₂/CS and modified TiO₂/CS which exhibited high photo catalytic activity for removal of textile dyes in the wastewater treatment.

Keywords: TiO₂/CS, photo catalyst, removal, efficiency, environment

Introduction

Textile wastewater contains dyes and pigments that are the main cause of pollution water contamination in many previous kinds of research. Most dyes and pigments are organic toxic compounds with rather poor biodegradability [1]. Some of them partially decompose after entering the environment. These toxic substances may cause health effects in humans who are exposed over long periods [2, 4]. Dangerous disease must be mentioned as cancer [5]. Therefore, the removal of dyes and pigments from textile wastewater is a critical issue and pays much more attention to researchers on the remediation of these pollutants. Several methods have been used to remove dyes and pigments out of the water environment such as the physico chemical method, bio-method, and chemical method [6, 8]. Among them, the photo catalyst method is widely used and becomes potential; especially the semiconductor Titanium dioxide (TiO₂) [9, 12]. Titanium dioxide (TiO₂) has been widely applied as a photo catalyst in many environmental and energy applications because of its efficient photo activity, high chemical stability, low cost, and non-toxic to the environment and humans. The semiconductor TiO₂ decomposes effectively organic contaminants, purifying water, cleaning the air, water splitting for hydrogen production, surface self-cleaning, antibacterial, and strong oxidation ability. After irradiation by UV light, the electron is excited from the valence band (VB) to the conduction band (CB). Electronic transition causes the formation of a pair in particles, consisting of the hole (h_{vb}⁺) and electron (e_{cb}⁻). The reaction of these photo generated holes species with water at the particle's surface leads to produce activated hydroxyl radicals (HO•) and directly oxidate dyes into their oxidation products [13]. Currently, the small size of TiO₂ in the mixture of rutile, anatase, or mixture of anatase, rutile, brookite was studied and applied in many scientific fields such as solar cells, fabrication photochemical agent to synthesize organic compounds, self-cleaning paint, production of electronic devices and sensor in sterilization field. A new application of nano TiO₂ is mainly based on its redox stability. Because of high catalyst activity and non-toxic properties, TiO₂ material is one of the best materials to tackle many serious problems as well as challenges from environmental pollution. However, TiO₂ semiconductor remains some limitations. Due to its small size, TiO₂ is difficult

to hold back in the material. Thus, it needs a substrate to retain TiO₂ in the material for long use. Additionally, rapid recombination of electrons and holes leads to a decrease in the efficiency of the photo catalytic [14].

On the other hand, chitosan (CS) is a natural biopolymer (linear polysaccharide composed of β-(1-4)- linked d-glucosamine (deacetylated unit) and N-acetyl-d-glucosamine (acetylated unit), that has biodegradable and biocompatible properties [15]. Commercially, chitosan is produced by deacetylation of chitin, which is the structural element in the exoskeleton of crustaceans (such as crabs, and shrimp). Chitosan possesses interesting properties including the ability to form film for food and pharmaceutical applications such as packaging material, or drug-eluting carrier [15, 17]. Additionally, chitosan can also be used as an absorption material due to its absorptive capacity to remove heavy metal and polluted organic compounds as dyes and pigments [18]. It is compatible with several organic and inorganic compounds because of the presence of amino and hydroxyl functional groups in its molecular structure. In the combination with TiO₂, CS acts as a solid substrate to keep TiO₂ inside the material; therefore, it can enhance the mechanical, physical, and biological properties of this polymer [16, 19], giving them a great potential for food, pharmaceutical or biomedical, and environmental applications.

This paper summarizes some recent works of chitosan/TiO₂ composites and modified chitosan/TiO₂ composites as photo catalysts for textile waste-water treatment.

TiO₂/Chitosan composite, modified TiO₂/chitosan composites and their photo catalytic activity

TiO₂/Chitosan composites

TiO₂ is a semiconductor and normally exists in 3 basic forms: Rutile, anatase, and brookite. The most common forms are anatase and rutile. The bandgap energy of rutile is 3.02 eV while that of anatase is 3.23 eV. The density of rutile is 4.2 g/cm³ while the density of anatase is 3.9 g/cm³. Anatase can be converted to rutile by heating up to 700 °C. [20]

TiO₂/chitosan has an excellent photo catalytic degradation Efficiency against methyl orange (MO) dye due to its good crystallinity and lowering band gap [21]. In this work, the different weight ratios of TiO₂ and CS (72:25, 50:50, 25:75) nano composites were prepared and checked for these photo catalytic

activities. The results indicated that nano composites TiO₂/CS (75:25) material showing greater degradability efficiency against MO dye. Moreover, the recycling outcome of TiO₂/CS (75:25) displayed a strong and stable performance (Figure 1). +




Fig 1: (a) Photocatalytic degradation efficiency of all prepared materials against MO dye and (b) Recycling ability of TiO₂/CS (75:25) against MO dye. Reproduced from R. Saravanan *et al.*²¹

Carolina E. Zubieta *et al.* evaluated photo degradation of two reactive dyes, Methylene Blue (MB) and Benzopurpurin (BP) in an aqueous solution by TiO₂/CS [22]. Two different weight ratios of TiO₂/CS composite materials were synthesized and the material photo degradation properties were evaluated. MB photo degradation on both TiO₂/CS was relatively high (91% and 41% for 2 types of TiO₂/CS), and increased with chitosan content. For BP, it is highlighted that the process in the darkness resulted in

high photo degradability capacity than in the UV-light presence. In the research of Saba Afzal *et al.*²³ TiO₂/CS exhibited a complete degradation of MO within 90 min of UV exposure. The effect of calcination on the physicochemical and adsorption-photo decolorization properties of TiO₂/CS was investigated. The photo catalytic activity decreased when the calcination temperature increased, because of the thermal degradation of CS (Figure 2).




Fig 2: Adsorption-photo decolorization studies of prepared TiO₂/CS. Reproduced from Saba Afzal *et al.*^[23].

In the study of Qiang Li *et al.*^[24] the degradation of MO can be achieved to 90% by TiO₂/CS composite. This result is a consequence of the effects of both CS and TiO₂.

Modified TiO₂/Chitosan composites

Zhu *et al.* mentioned that CdS nanocrystals deposited on TiO₂/CS

composite could decolorize MO solution up to 99.1% after real solar light irradiated for 300 min. The composite could be used repeatedly and the decolorization rate still maintains at 89% of the initial decolorization rate after 5 batch reactions (Figure 3)^[25].




Fig 3: Cycling runs of MO decolorization in the presence of CdS/TiO₂/CS. Reproduced from Huayue Zhu *et al* [25].

Huayue *et al.* [26] also reported the TiO₂/ZnO/CS nanocomposite thin films with high photo catalytic activity under simulated solar irradiation. Over 97% of MO solution was decolorized with 0.5 g L⁻¹ of the photo catalyst. The authors illustrated that the introduction of ZnO and TiO₂ in nanocomposite photo catalyst is

beneficial in improving the charge separation and the response to visible light. Recycling experiments were carried out to check photo catalytic stability. The decolorization (%) of MO in the presence of TiO₂/ZnO/CS is much higher than those in the presence of TiO₂/CS, ZnO/CS (Figure 4).




Fig 4: Decolorization of MO using different composites. Reproduced from Huayue Zhu *et al.* [26]

Meanwhile, it is reported that a novel composite TiO₂/CS/reduced graphene oxide (rGO) with 1.0 wt% of rGO exhibited an excellent photo catalytic degradation of MO (97%) [27]. The results in this research also showed that if the rGO contents above 1.0 wt% lead to the decrease of the photo catalytic activity due to reduction of surface area. A novel thiourea-modified ion-imprinted TiO₂/CS composite was fabricated for the removal of cadmium and 2, 4-dichlorophenol [28]. The degradation efficiency for 2, 4-DCP was reached 98%. The author proposed that the major decomposition route of 2, 4-DCP is related to the reductive dechlorination and reaction with

hydroxyl radicals. Recently, Wei Zhang *et al* [29]. Reported novel chitosan (CS) -vanadium-titanium-magnetite (VTM) composite as a superior adsorbent for Congo red dyes treatment. The optimal adsorption performance was achieved for CS-VTM-0.5 composite (a mass ratio of 0.5 between CS and VTM). The adsorption process was described by the Langmuir isotherm model, and the maximum adsorption capacity was 90.9 mg/g. The removal efficiency was 99.1% when the dose of CS-VTM-0.5 was greater than 2.0 g/L. Novel CS-VTM could be a promising and environmentally friendly adsorbent for the highly efficient and effective removal of organic dyes.

Previous scientific researches demonstrated that composites of TiO₂/CS and modified composite of TiO₂/CS become attractive materials with high photo catalytic performance, low-cost, reusable, and environmentally friendly for removal of inorganic dyes.

Conclusion

Evidence shows that the combination of TiO₂ and Chitosan matrix is an efficient method to enhance the mechanical, physical, photo catalytic, and biological properties of both compounds. TiO₂/CS and modified TiO₂/CS have become an active research area for biomedical environment remediation applications and; therefore, they are potential for wastewater treatment in the textile industry as well as for industrial applications. However, the researcher needs to pay more attention to the preparation method to standardize, further develop and modify TiO₂/CS composite to achieve high photo catalytic ability, long reuse time, and economic efficiency.

References

- Porter JJ, Snider EH. Biodegradability Textile Chemicals, 2013;48(9):2198-2210.
- Esancy JF, Freeman HS, Claxton LD. The Effect of Alkoxy Substituents on the Mutagenicity of Some Aminoazobenzene Dyes and Their Reductive-Cleavage Products. *Mutat. Res. Genet. Toxicol.* 1990;238(1):1-22. [https://doi.org/10.1016/0165-1110\(90\)90036-B](https://doi.org/10.1016/0165-1110(90)90036-B).
- Akarslan F, Demiralay H. Effects of Textile Materials Harmful to Human Health. *Acta Phys. Pol. A*, 2015;128(2):407-408. <https://doi.org/10.12693/APhysPolA.128.B-407>.
- Busk L, Ahlborg UG. Retinoids as Inhibitors of Ortho-Aminoazotoluene-Induced Mutagenesis in the Salmonella/Liver Microsome Test. *Mutat. Res. Lett*, 1982;104(4-5):225-231. [https://doi.org/10.1016/0165-7992\(82\)90148-8](https://doi.org/10.1016/0165-7992(82)90148-8).
- Zdislaw M, Bolt H, Brockmann W. Tumors of the Urinary Bladder in Painters : Am. J. Ind. Med, 1991;19:705-713.
- Lin SH, Chen ML. Treatment of Textile Wastewater By-Chemical Methods for Reuse. *Water Res*, 1997;31(4):868-876. [https://doi.org/10.1016/S0043-1354\(96\)00318-1](https://doi.org/10.1016/S0043-1354(96)00318-1).
- Bhatia D, Sharma NR, Singh J, Kanwar RS. Biological Methods for Textile Dye Removal from Wastewater: A Review. *Crit. Rev. Environ. Sci. Technol*, 2017;47(19):1836-1876. <https://doi.org/10.1080/10643389.2017.1393263>.
- Donkadokula NY, Kola AK, Naz I, Saroj D. A Review on Advanced Physico-Chemical and Biological Textile Dye Wastewater Treatment Techniques. *Rev. Environ. Sci. Biotechnol*, 2020;19(3):543-560. <https://doi.org/10.1007/s11157-020-09543-z>.
- Lazar MA, Varghese S, Nair SS. Photocatalytic Water Treatment by Titanium Dioxide: Recent Updates 2012, 2. <https://doi.org/10.3390/catal2040572>.
- Han F, Kambala VSR, Srinivasan M, Rajarathnam D, Naidu R. Tailored Titanium Dioxide Photo catalysts for the Degradation of Organic Dyes in Wastewater Treatment: A Review. *Appl. Catal. A Gen*, 2009;359(1-2):25-40. <https://doi.org/10.1016/j.apcata.2009.02.043>.
- Davis RJ, Gainer JL, O'Neal G, Wu I-W. Photo catalytic Decolorization of Wastewater Dyes. *Water Environ. Res*, 1994;66(1):50-53. <https://doi.org/10.2175/wer.66.1.8>.
- Jain R, Shrivastava M. Photo catalytic Removal of Hazardous Dye Cyanosine from Industrial Waste Using Titanium Dioxide. *J. Hazard. Mater*, 2008;152(1):216-220. <https://doi.org/10.1016/j.jhazmat.2007.06.119>.
- Matsunaga T, Tomoda R, Nakajima T, Wake H. Photo electrochemical Sterilization of Microbial Cells by Semiconductor Powders (Sterilization; Semiconductor; Saccharomyces Cereoisiae; Coenzyme A). *FEMS Microbiol. Lett*, 1985;29:211-214.
- Akpan UG, Hameed BH. Parameters Affecting the Photo catalytic Degradation of Dyes Using TiO₂-Based Photo catalysts: A Review. *J. Hazard. Mater*, 2009;170(2-3):520-529. <https://doi.org/10.1016/j.jhazmat.2009.05.039>.
- Dedloff MR, Effler CS, Holban AM, Gestal MC. Use of Biopolymers in Mucosally-Administered Vaccinations for Respiratory Disease. *Materials (Basel)*, 2019;12(15):1-12. <https://doi.org/10.3390/ma12152445>.
- Kaewklin, P.; Siripatrawan, U.; Suwanagul, A.; Lee, Y. S. Active Packaging from Chitosan-Titanium Dioxide Nanocomposite Film for Prolonging Storage Life of Tomato Fruit. *Int. J. Biol. Macromol.* 2018, 112, 523–529. <https://doi.org/10.1016/j.ijbiomac.2018.01.124>.
- Xiao G, Zhang X, Zhang W, Zhang S, Su H, Tan T. Visible-Light-Mediated Synergistic Photocatalytic Antimicrobial Effects and Mechanism of Ag-Nanoparticles@chitosan-TiO₂ Organic-Inorganic Composites for Water Disinfection. *Appl. Catal. B Environ*, 2015;170-171:255-262. <https://doi.org/10.1016/j.apcatb.2015.01.042>.
- Pal P, Pal A. Dye Removal Using Waste Beads: Efficient Utilization of Surface-Modified Chitosan Beads Generated after Lead Adsorption Process. *J. Water Process Eng*, 2019. <https://doi.org/10.1016/j.jwpe.2019.100882>.
- El-Wakil NA, Hassan EA, Abou-Zeid RE, Dufresne A. Development of Wheat Gluten/Nanocellulose/Titanium Dioxide Nanocomposites for Active Food Packaging. *Carbohydr. Polym.* 2015;124:337-346. <https://doi.org/10.1016/j.carbpol.2015.01.076>.
- Bickley RI, Gonzalez-Carreno T, Lees JS, Palmisano L, Tilley RJD. A Structural Investigation of Titanium Dioxide Photo catalysts. *J. Solid State Chem*, 1991;92(1):178-190. [https://doi.org/10.1016/0022-4596\(91\)90255-G](https://doi.org/10.1016/0022-4596(91)90255-G).
- Saravanan R, Aviles J, Gracia F, Mosquera E, Gupta VK. Crystallinity and Lowering Band Gap Induced Visible Light Photo catalytic Activity of TiO₂/CS (Chitosan) Nanocomposites. *Int. J. Biol. Macromol.* 2018;109:1239-1245. <https://doi.org/10.1016/j.ijbiomac.2017.11.125>.
- Zubieta CE, Messina PV, Luengo C, Dennehy M, Pieroni O, Schulz PC. Reactive Dyes Remotion by Porous TiO₂-Chitosan Materials. *J. Hazard. Mater*, 2008;152(2):765-777. <https://doi.org/10.1016/j.jhazmat.2007.07.043>.
- Afzal S, Samsudin EM, Mun LK, Julkapli NM, Hamid SB. A. Room Temperature Synthesis of TiO₂ Supported Chitosan Photocatalyst: Study on Physicochemical and Adsorption Photo-Decolorization Properties. *Mater. Res. Bull.* 2017;86:24-29. <https://doi.org/10.1016/j.materresbull.2016.09.028>.
- Li Q, Su H, Tan T. Synthesis of Ion-Imprinted Chitosan-TiO₂ Adsorbent and Its Multi-Functional Performances. *Biochem. Eng. J*, 2008;38(2):212-218. <https://doi.org/10.1016/j.bej.2007.07.007>.

25. Zhu H, Jiang R, Xiao L, Liu L, Cao C, Zeng G. CdS Nanocrystals/TiO₂/Crosslinked Chitosan Composite: Facile Preparation, Characterization and Adsorption-Photocatalytic Properties. *Appl. Surf. Sci.*,2013;273:661-669. <https://doi.org/10.1016/j.apsusc.2013.02.106>.
26. Zhu H, Jiang R, Fu Y, Guan Y, Yao J, Xiao L *et al.* Effective Photocatalytic Decolorization of Methyl Orange Utilizing TiO₂/ZnO/Chitosan Nanocomposite Films under Simulated Solar Irradiation. *Desalination*,2012;286:41-48. <https://doi.org/10.1016/j.desal.2011.10.036>.
27. Chen C, Zhang Y, Zeng J, Zhang F, Zhou K, Bowen CR *et al.* Aligned Macroporous TiO₂/Chitosan/Reduced Graphene Oxide (RGO) Composites for Photocatalytic Applications. *Appl. Surf. Sci.*,2017;424:170-176. <https://doi.org/10.1016/j.apsusc.2017.02.137>.
28. Chen A, Zeng G, Chen G, Hu X, Yan M, Guan S *et al.* Novel Thiourea-Modified Magnetic Ion-Imprinted Chitosan/TiO₂ Composite for Simultaneous Removal of Cadmium and 2,4-Dichlorophenol. *Chem. Eng. J.*,2012;191:85-94. <https://doi.org/10.1016/j.cej.2012.02.071>.
29. Zhang W, Lan Y, Ma M, Chai S, Zuo Q, Kim KH *et al.* A Novel Chitosan–Vanadium-Titanium-Magnetite Composite as a Superior Adsorbent for Organic Dyes in Wastewater. *Environ. Int.*, 2020. 105798. <https://doi.org/10.1016/j.envint.2020.105798>.